




GROUP OF COMPANIES

PACK-MAKER MACHINES PVT. LTD.

ISO 9001:2015 COMPANY



OUR VALUE

Try our best to make you be satisfied & succeed. Devote ourselves to making influential creation for you & company with high efficiency. Be honest and creditable. Make our decision and management to be correct & flexible.

Achieve brand and create value

OUR MISSION

Supply competitive AUTO packaging system & keep bringing the max, benefit to you

Our Philosophy

Focus on customers' condition. Provide high quality, best service and creative products and have a priority to meet your demand with improving their competition and profitable ability. Share trouble & interest with our customers to achieve double win.

Our Relationships

To build positive, long-term relationships that are built on honesty, trust and respect

Our Perspective

Become a leading respectable company with the most creative ability




Unit - 1



Unit - 2

More Than
2600
Machinery
Installed

Our valued Customers in
Domestic Market



Our valued Customers in
International Market

Multi Head Weigher with High Speed Pouch Packing Machine




Z - Shaped Bucked Conveyor



Take Away Conveyor
(Front Conveyor)

Technical Specification

Packing Range	: 10gm to 1kg
Filling System	: (Multi Head Weigher) 10 Head weigh Filler / 14 Head weigh Filler
Filling Accuracy	: 0.5%
Type of Sealing	: Center Seal
Packing Material	: Kurkure, Puffs, Potato Chips, Namkeen, Grains Ets.
Film Size	: 100mm-550mm width x 100mm-200mm length
Film Roll Type	: Laminated Film in Roll Supported Film E.g. Aluminum Foil Pe, PP
Speed	: 55 to 60 bag/min, 85 to 90 bag/min (Varies with the nature of product & filling range)
Power	: 3kw 230v / AC / Single Phase / 50hz
Machine Size	: 72" x 96" x 126"
Weight	: 1400kg (Approx)
Compressed Air	: 6 CFM @ 6 bar
Optional	: Batch Coding Device






Two Head Weigher Fully Pneumatic (Coller Type)

Technical Specification

Packing Range	: 1. (10 GM TO 50 GM) 2. (100GM TO 500GM)
Filling System	: Two Head Weigher
Type of Sealing	: Center Seal
Packing Material	: Fryums, Kurkure, Puffs, Namkeen, Grains Etc
Film Size	: 100mm-400mm width x 100mm-250mm length
Film Roll Size	: OD 250 to 400mm max. ID film reel pipe 75mm min
Film Roll Type	: Laminated film in roll supported film E.g. Aluminum Foil Pe, PP
Speed	: 10 to 17 bag/min (Varies with the nature of product & Filling range)
Machine Size	: 1200mm x 1400mm x 2500mm(L x W x H)
Weight	: 650kg (Approx)



Four Head Weigher Fully Pneumatic (Coller Type)

Technical Specification

Packing Range	: 10gm to 500gm
Filling System	: 4 Head
Filling Accuracy	: - / + 0.1%
Type of Sealing	: Centre Seal
Packing Material	: Kurkure, Puffs, Namkeen, Grains Ets.
Film Size	: 100mm-450mm width x 100mm-200mm length
Film Roll Type	: Laminated Film in Roll Supported Film E.g. Aluminum Foil Pe
Speed	: 20 to 25 bag/min (Varies with the nature of product & filling range)
Power	: 3kw 230v / AC / Single Phase / 50hz
Machine Size	: 72" x 85" x 126
Weight	: 700kg (Approx)
Compressed Air	: 6 CFM @ 6 bar
Optional	: Batch Coding Device






Two Head Weigher Pneumatic F.F.S. Machine

Technical Specification


Packing Range	: 1.(10gm to 50gm) 2. (100gm to 250gm)
Filling System	: Two Head Weigher
Type of Sealing	: Center Seal
Packing Material	: Fryums, Kurkure, Puffs, Powder, Namkeen, Grains Etc...
Film Size	: 100mm-400mm width x 100mm-250mm length
Film Roll Size	: OD 250 to 400mm max. ID Film Reel Pipe 75mm min
Film Roll Type	: Laminated film in roll supported film E.g. Aluminum Foil Pe, PP
Speed	: 12 to 20bag/min (Varies with the nature of product & Filling range)
Power	: 2.5 KW 230V / AC / Single Phase/ 50 Hz
Optional	: Nitrogen, Batch Coding Device, Batch Cutting Device
Wooden Case	: 1300mm x 1000mm x 1000mm (H x W x L)
Machine Size	: 1050mm x 990mm 1900(L x W x H)
Weight	: 450kg (Approx)



Four Head Half Pneumatic Machine

Technical Specification

Packing Range	: 1. (10gm TO 50gm) 2. (100gm TO 250gm)
Filling System	: Four Head Weigher
Type of Sealing	: Center Seal
Packing Material	: Fryums, Kurkure, Puffs, Powder, Namkeen, Grains Etc...
Film Size	: 100mm-400mm Width X 100mm-250mm Length
Film Roll Size	: OD 250 TO 400mm Max. Id Film Reel Pipe 75mm Min
Film Roll Type	: Laminated Film In Roll Supported Film Eg. Aluminium Foil Pe. pp
Speed	: 0-24 Bag/min (varies With The Nature Of Product & Filling Range)
Machine Size	: 1050mm X 990mm X 2500mm (L X W X H)
Weight	: 550kg (Approx..)





Half Pneumatic Cup Filler

The Fully Automatic Semi Pneumatic From Fill and sealing Machine with Cup Filler, on Intermittent Machine Designed for The Efficient Packing of Product in Seal Pouches up to 500gm.

Technical Specification


Filling System	: Volumetric Cup Filler
Filling Accuracy	: +/-0.1% - +/-0.2%
Sealing Type	: Center Seal / 3 Side Seal
Filling Range	: 10gm to 100 / 100gm to 250gm
Film Role Material	: Laminated Film in all Roll Supported Film E.g. Aluminum Foil Pe
Speed Capacity	: 25 to 40 Bag/min (Varies with the Nature of Product & Filling Range)
Machine Size	: 1050mm x 990mm x 1900mm (L x W x H)
PLC	: Delta
TC	: Selectron
Power Consu.	: 2.5 Kw
Optional	: Batch Coding Device
Weight	: 450kg (Approx)
Application	: kurkure, Puffs, (Small Size) Tea, Sugar, Rice, Detergent Powder Etc.



Fully Pneumatic Cup Filler

Technical Specification

Packing Range	: 1. (20gm to 100gm) 2. 100gm to 500gm
Filling System	: Volumetric Cup Filler, Weight Filler (Available all Filling Systems)
Filling Accuracy	: +/- 1%
Type of Sealing	: Center Seal
Speed	: 30 to 60 bag/min (Varies With the Nature of Product & Filling Range)
Power	: 3kw 230v / AC / Single Phase / 50hz
Wooden Case	: 1700mm x 1000mm x 1100mm (H x W x L)
Machine Size	: 1050mm x 990mm x 2100 x (L x W x H)
Weight	: 500kg (Approx)
Compressed Air	: 6 CFM @ 6 bar
With Cup Filler	: To Pack Like Kurkure, Puffs, (Small Size) Tea, Sugar, Rice Etc.
With Weigh Filler	: To Pack Like Kurkure, Puffs, Potato Chips, Snaks, Namkeen (Mixture) Chanachure
Optional	: Batch Coding Device





Half Pneumatic Auger Machine For Powder

Technical Specification

Filling System	: Adjustable Auger Filling
Filling Accuracy	: +/- 1 to 2% Depend upon nature of product
Sealing Type	: Center Seal, / three side seal
Filling range	: 50gm to 500gm
Packing material	: Sticky Powder
Size of Bag/ Pouch	: W-100 to 360mm L-80 to 130mm
Speed Capacity	: 20 to 35 Pouch per minute
Machine Size	: 2500mm x 800mm x 900mm (H x W x L)
Wooden Case	: 2650mm x 1000mm x 1000mm (H x W x L)
Plc	: Delta
Filling System	: Auger Filler
Power	: 220v Ac Single Phase And Three Phase
Optional	: Bantch Coding Divice
Application	: Spices, milk powder, ice cream powder, besan, medical powder any sticky powder



Fully Pneumatic Auger Filler Machine For Powder

Technical Specification

Filling System	: Adjustable Auger Filling
Filling Accuracy	: +/- 0.1% Depend upon nature of product
Sealing Type	: Center Seal
Filling Range	: Up to 1000gm
Packing Material	: Sticky Powder
Film Role	: 100 to 400mm-W / 80mm to 240mm-L
Speed Capacity	: 20 to 45 Pouch per minute
Machine Size	: 2500mm x 900mm x 1000mm (H x W x L)
Wooden Case	: 2650mm x 1200mm x 1200mm (H x W x L)
PLC	: Delta
Power	: 220v AC Single Phase & Three Phase 3kw
Optional	: Batch Coding Device
Application	: Spices, Milk Powder, Ice Cream Powder, Medical Powder Etc.

Features : fully automatic, compact and robust machine-simple operation and low maintenance all contact parts are made of stainless steel 304-this machine is equipped with the drive with the latest addition for speed adjustment-photoelectric mark registration system for precise cutting and sealing of the sachet / pouches-custom made to suit specific requirement-top quality components and best workmanship



5kg -10kg
Atta Pouch M/c




Mechanical F.F.S. Cup Filler Machine

The Machine Operate on the Principle of Volumetric Cups with a Provision of Volume Adjustment. On Volumetric From Fill and Sealing Machine are Ideal for Filling Dry, Free Flowing Products Like Detergent Powder, Sugar, Salt, Tea Dust, Bhujiya, Whole Spice, Rice, Pulses Etc.

Technical Specification

Capacity	: 25gm - 50gm, 50gm - 100gm, 250gm - 500gm
Filling System	: Cup Filler
Filling Accuracy	: +/-0.1%
Sealing Type	: Center Seal or Four Sides, Three Side Seal
Packing Material	: Laminated Film
Film Size	: 160mm-350mm Width 140mm-290mm Length
Speed Capacity	: 35 to 60 Pouch per minute
Dimension	: 780 x 650 x 1950mm (L x W x H)
Power Consumption	: 1/2HP Motor, 220V, 50Hz, Single Phase
Optional	: Batch Coding Device
Net Wight	: 325kg. Approx



Mechanical F.F.S. Machine For Liquid

Automatic Form Fill & Seal Machine for Free Flowing Liquid and Semi Liquid to Pack Products Like Shampoo, Honey, Coconut Oil, Tomato Puree, Oil, Grease, Paste and any other Free Flowing Materials in Piston Filler

Technical Specification

Packing Rang	: 1. (2ml to 20ml) 2. (20ml to 50ml) 3. (50ml to 100ml)
Filling System	: Volumetric Piston Filing
Filling Accuracy	: +/-0.1%
Sealing Type	: Center / Four Sides, Three Side Seal
Filling Range	: Up to 250ml
Packing Material	: Liquid & Semi Liquid
Speed Capacity	: 35 to 55 Pouch per minute
Machine Size	: 780 x 650 x 1950mm (L x W x H)
Optional	: Batch Coding Device
Net Wight	: 325kgs. Approx

Auto Sleeve Wrapping with Shrink M/c. (For Bottle)

Technical Specification

Machine Working	: Pneumatic
Machine Body	: S.S. 304 / M.S.
No. of Bottle Counting	: 6, 9, 12, 24
Speed	: 35 to 45 Bottle Per Minute
Film Material	: Ld Shrink
Operating	: Electronic P. L. C.
Size	: 10 to 40 Sealing Area
Dimension (LxWxH)	: 180" x 40" x 84"
Approx Weight	: 500kg
Compresses air	: 6 CFM @ 6 Bar

Application

Mineral Water, Soft Drink &
all Type of Bottle Packing etc...



Semi Auto Sleeve Wrapping with Shrink Machine (For Bottle and Box)

Technical Specification

- Semi Automatic Sleeve Wrapping Machine
- Size Available 10" to 40" Sealing Area
- With Pneumatic Pusher
- With Automatic Conveyor Rolls
- With Digital P.L.C. Systems







Note :

PACK-MAKER MACHINES PVT. LTD.

Head Office & Factory :

Survey No. 172/2, Plot No. 28, New Balaji Ind. Estate,
B/h. Maldhari Restorent, Opp. Hotel Krishna Park,
Gondal Road N. H., Kotharia. Dist. Rajkot (Guj.)
Phone : 0281-2923462
M. +91 97234 55181, +91 93279 05181, +91 93288 05181

Ahmedabad Office :

B-341, Sumel-7, Soni ni Chawl,
Near BRTS Bus Stop,
Rakhiyal, Ahmedabad.
M. +91 70433 35181, +9186710 05181

E-mail : packmacindia@yahoo.in
salespackmac@gmail.com

www.packmacindia.com

